SEQUENCE LISTING

```
<110> Cook, Philip Dan
     Manoharan, Muthiah
      Bennett, Frank C.
<120> Oligonucleotide Conjugates For Hepatic Delivery
<130> Isis-5028
<160> 78
<170> PatentIn version 3.1
<210>
      1
<211>
      11
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<220>
<221>
      misc_feature
<222>
<223>
      nucleotide functionalized to incorporate a pentyl-N-phthalimido
       functionality
<400> 1
ggctgactgc g
                                                                       11
      2
<210>
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<220>
<221>
      misc_feature
<222>
       (9)..(9)
      nucleotide functionalized to incorporate a pentyl-N-phthalimido
<223>
       functionality
<400> 2
ctgtctccat cctcttcact
                                                                       20
<210>
<211>
       20
<212>
      DNA
<213> Artificial Sequence
<220>
<223>
      Oligonucleotide
<220>
<221> misc_feature
<222> (1)..(20)
<223> phosphorothioate inter-nucleotide linkage
<220>
<221>
      misc_feature
<222>
       (9)..(9)
       nucleotide functionalized to incorporate a pentyl-N-phthalimido f
<223>
       unctionality
```

```
<400> 3
                                                                             20
ttgcttccat cttcctcgtc
<210> 4
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<220>
<221> misc_feature
<222> (1)..(18)
<223> phosphorothioate inter-nucleotide linkage
<220>
       misc_feature
(15)..(15)
<221>
<222>
<223> nucleotide functionalized to incorporate a pentyl-N-phthalimido f
       unctionality
<400> 4
tgggagccat agcgaggc
                                                                             18
<210> 5
<211> 18
<212> RNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<220>
<221> misc_feature
<222>
       (1) ... (1)
<223> 2'-O-modified phosphoramidite
<220>
<221>
       misc_feature
<222> (10)..(10)
<223> 2'-O-modified phosphoramidite
<400> 5
                                                                             18
ugggagccau agcgaggc
<210>
       6
<211> 16
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<400> 6
tccaggtgtc cgcatc
                                                                             16
<210>
       7
<211>
       17
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
```

<220> <221> <222> <223>	<pre>misc_feature (3)(3) nucleotide functionalized to incorporate a pentylamino functiona ity</pre>	1
<220> <221> <222> <223>	<pre>misc_feature (8)(9) nucleotide functionalized to incorporate a pentylamino functionality</pre>	1
<220> <221> <222> <223>	<pre>misc_feature (13)(13) nucleotide functionalized to incorporate a pentylamino functionality</pre>	1
<220> <221> <222> <223>	<pre>misc_feature (16)(16) nucleotide functionalized to incorporate a pentylamino functionality</pre>	.1
<400> ggaccg	7 gaac ctacgag 1	.7
<210> <211> <212> <213>	8 17 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> cctggc	8 cttc catgctc 1	.7
<210> <211> <212> <213>	9 17 RNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> ccuggc	9 cuuc caugcuc 1	.7
<210> <211> <212> <213>	10 15 RNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> chaccc	10 aggc ucaga 1	١5
<210><211><211><212><213>	11 12 RNA Artificial Sequence	

1133355 DEFENS

<220> <223>	Oligonucleotide	
<400> gagcuco	11 ccag gc	12
<210>	12	
<211>	12	
<212>	RNA	
<213>	Artificial Sequence	
<220> <223>	Oligonucleotide	
<400>	12	12
caugea	gcag cc	1.4.
<210>	13	
<211>	20	
<212> <213>	DNA Artificial Sequence	
<220>	·	
<223>	Oligonucleotide	
<400>	13	
	cgcg acccaacacu	20
<210>	14	
<211>	11	
<212>	DNA Artificial Seguence	
<213>	Artificial Sequence	
<220> <223>	Oligonyalootida	
\2237	Oligonucleotide	
<220>		
<221>	misc_feature (6)(6)	
<223>	hexyl-(N-phthalimido)amino]-uridine	
<400>	14	
gcgtgu	ctgc g	11
<210>	15	
<211>	18	
<212>	DNA	
<213>	Artificial Sequence	
<220> <223>	Oligonucleotide	
(223)	Oligonucleotide	
<220>	miaa faatuus	
<221> <222>		
<223>		
<220>	and a second sec	
<221> <222>	misc_feature (18)(18)	
<223>		
<400>		
ugggag	ccat agcgaggc	18

```
<210> 16
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-O-modified phosphoramidite
<400> 16
tgggagccau agcgaggc
                                                                              18
<210> 17
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<220>
<221> misc_feature <222> (1)..(1)
<223> 2'-O-modified phosphoramidite
<220>
<221> misc_feature
<222> (1)..(20)
<223> 2'-O-methyl
<220>
<221>
       misc_feature
<222>
       (20) ... (20)
<223> non-nucleoside 6-carbon amino linker
<400> 17
                                                                              20
uctgagtagc agaggagctc
<210>
       18
<211>
       21
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<220>
       misc_feature
<221>
<222>
        (1) . . . (1)
<223> 2'-O-modified phosphoramidite
<400> 18
                                                                              21
ugcccaagct ggcatccgtc a
<210> 19
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
```

	<pre>misc_feature (1)(1) 2'-O-modified phosphoramidite</pre>	
<400> ugcgt	19 ttgct cttcttcttg cg	22
<210><211><211><212><213>	20 DNA	
<220> <223>		
<220> <221> <222> <223>	misc_feature (1)(1)	
<400> ugcat	20 ccccc aggccaccat	20
<210><211><211><212><213>	20 DNA	
<220> <223>		
	misc_feature (1)(1)	
<400> ucccg	21 cctgt gacatgcatt	20
<210><211><211><212><213>	20 DNA	
<220> <223>		
<400> gutct	22 cgctg gtgagtttca	20
<210><211><211><212><213>	18 DNA	
<220> <223>		
<220><221><222><222><223>	misc_feature (1)(1)	

<400> ugggago	ccat agcgaggc 18
<210>	24
<211>	12
<212>	RNA
<213>	Artificial Sequence
<220>	
<223>	Oligonucleotide
<220>	
	misc feature
<222>	(4)(4)
<223>	
\ZZ37	indefeoting functionalized to incorporate a pencyl is paradimized
<400>	24
ccaagc	cuca ga 12
<210>	25
<211>	12
<212>	DNA
<213>	Artificial Sequence
	•
<220>	
<223>	Oligonucleotide
<220>	
<221>	misc feature
	(11) - (11)
<223>	nucleotide functionalized to incorporate a pentyl-N-phthalimido
12237	nucleotide lanctionalized to incorporate a pencyl w phonatimac
<400>	25
ccaggcı	ucag at 12
<210>	26
<211>	20
<212>	DNA
<213>	Artificial Sequence
4000 \$	
<220> <223>	Oligonucleotide
12237	ollyonucleotiuc
<220>	
<221>	misc_feature
<222>	(9) (9)
<223>	nucleotide functionalized to incorporate a pentyl-N-phthalimido
	functionality
<220>	
<221>	misc feature
<222>	(18) (18)
<223>	
\2237	functionality
	Lanceronattey
<400>	26
ctgtct	ccat cctcttcact 20
<210>	27
<211>	20
<212>	DNA
<213>	Artificial Sequence
Z2205	
<220> <223>	Oligonucleotide

<400> gagcc	27 gctac tcgaatgagc	20
<210> <211> <212> <213>	DNA	
<220> <223>	Oligonucleotide	
<400> gttct	28 ggctt ccgttgcacc	20
<210><211><211><212><213>	20 DNA	
<220> <223>	Oligonucleotide	
<400> cccgg	29 cccgg attgactgaa	20
<210> <211> <212> <213>	20 DNA	
<220> <223>		
<400> ccatc	30 ccgac ctcgcgctcc	20
<210> <211> <212> <213>	19 DNA	
<220> <223>		
<400> cggtc	31 ccttc aagatccat	19
<210><211><211><212><213>	20 DNA	
<220> <223>		
<400> cccct	32 tcaag atccatcccg .	20
<210><211><211><212><213>	20 DNA	
<220>		

luctions are estable

<400> caagato	33 ccat cccgacctcg	20
<210> <211> <212> <213>	34 20 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> cctggt	34 catg tottootooa	20
<210><211><211><212><213>	35 15 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> ctttgc	35 ccag acagc	15
<210> <211> <212> <213>	36 20 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> gttcac	36 tggc gctttcttcc	20
<210> <211> <212> <213>	37 20 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> tgaact	37 tgac tgaggaaatg	20
<210> <211> <212> <213>	38 20 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> cttgga	38 agag ccgctactcg	20
<210> <211> <212> <213>	39 20 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400>	39	

<210> <211>	46 20	
<212>	DNA	
<213>	Artificial Sequence	
<220> <223>	Oligonucleotide	
	-	
<400>	46	20
tgcaaa	acatt tcaatacttt	20
<210>	47	
<211>		
<212>	DNA	
<213>	Artificial Sequence	
<220>	Olivernalastida	
<223>	Oligonucleotide	
<400>		20
aagttt	tagtt ttattataga	20
<210>	48	
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Oligonucleotide	
<400>	48	
caccac	cccc ctcgctggtc	20
<210>	49	
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Oligonucleotide	
<400>		2
ctccc	gcaca teteegegee	20
<210>	50	
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Oligonucleotide	
<400>		_
gccac	cgtct gcccactctg	2
<210>	51	
<211>		
<212>		
<213>		
<220>		
<223>		
<400>	51	
	ataca ataccatco	2

<210> <211> <212>	52 20 DNA	
<213>		
<220> <223>	Oligonucleotide	
<400>	52	2
cggagc	cgct tggtgaggat	2
<210> <211>	53	
<212> <213>	DNA	
<220>	•	
<223>	Oligonucleotide	
<400>	53 atca ttggcgagcc	2
.,,,,-		
<210> <211>		
<212> <213>	DNA	
<220>	-	
<223>	Oligonucleotide	
<400> cggcca	54 .tggc accaaagaca	2
<210> <211>		
<212> <213>		
<220>		
<223>	Oligonucleotide	
<400> tgaact	55 gact tgccccacgg	2
<210> <211>	20	
<212> <213>	DNA Artificial Sequence	
<220>		
<223>	Oligonucleotide	
<400> gggatg	56 ytccg gtcgggtggg	2
.0.1.0.	50	
<210> <211>		
<212> <213>		
<220>		
<223>	-	
<400>	57 accag agccagcgtc	:

<210> <211> <212> <213>	58 20 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> atgccc	58 aggt gtgctcggag	20
<210>	59	
<212>		
<220>	Artificial Sequence	
	Oligonucleotide	
<400> gcctcc		20
<210> <211>	60	
<212>		
<220> <223>	Oligonucleotide	
<400>	60 acag gcggtgagca	20
<210> <211> <212>	61 30 DNA	
<213>	Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> ggatct	61 tgaa ggggaccgca atggaggagc	30
<210>	62	
<211> <212> <213>	30 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400>	62	30
gtccaa	cact aaaagcccca attaatacag	30
<210> <211>	63 20 DNA	
<212> <213>	Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> cttacc	63 cgct tgtgttgctg	20
<210>	64	

```
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<400> 64
                                                                       20
gcgttgctct tcttcttgcg
<210>
      65
<211>
      20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<220>
<221> misc_feature
      (9)...(9)
<222>
<223> nucleotide functionalized to incorporate a biotin functionality
<220>
<221>
      misc_feature
<222>
       (18) ... (18)
      nucleotide functionalized to incorporate a biotin functionality
<223>
<400> 65
                                                                       20
ctgtctccat cctcttcact
<210>
      66
<211>
      18
<212>
      DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<220>
<221> misc_feature
<222>
      (1) ... (18)
<223> phosphorothioate inter-nucleotide linkage
<220>
      misc_feature
<221>
<222>
       (5)..(5)
<223> nucleotide functionalized to incorporate a pentyl-N-phthalimido f
       unctionality
<220>
<221> misc_feature
<222>
      (9)...(9)
<223> nucleotide functionalized to incorporate a pentyl-N-phthalimido f
       unctionality
<220>
<221>
      misc_feature
<222>
      (11) ... (11)
<223> nucleotide functionalized to incorporate a pentyl-N-phthalimido
<220>
<221>
      misc feature
<222>
      (15)^{-}. (15)
<223> nucleotide functionalized to incorporate a pentyl-N-phthalimido f
```

unctionality

<400> tgggag	66 ccat agcgaggc	18
<210> <211> <212> <213>	67 17 RNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> gcccgc	67 gacc caacacu	17
<210> <211> <212> <213>	68 18 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<220> <221> <222> <223>	<pre>misc_feature (1)(1) 2'-O-modified phosphoramidite</pre>	
<400> ugggage	68 ccat agcgaggc	18
<210> <211> <212> <213>	69 18 RNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<220> <221> <222> <223>	<pre>misc_feature (1)(1) 2'-O-modified phosphoramidite</pre>	
<220> <221> <222> <223>	misc_feature (18)(18) non-nucleoside 6-carbon amino linker	
<220> <221> <222> <223>	misc_feature (10)(10) 2'-O-modified phosphoramidite	
<400> ugggage	69 ccau agcgaggc	18
<210> <211> <212> <213>	70 21 DNA Artificial Sequence	
<220>		

<223>	Oligonucleotide	
<220><221><222><222><223>	(1) $\overline{\cdot}$ (1)	
<220> <221> <222> <223>	misc_feature (21)(21) non-nucleoside 6-carbon amino linker	
<400> ugccca	70 agct ggcatccgtc a	21
<210> <211> <212> <213>		
<220> <223>	Oligonucleotide	
<220> <221> <222> <223>	$(1) \cdot \overline{.} (1)$	
<400> ugcatc	71 cccc aggccacca	19
<210><211><211><212><213>	72 20 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<400> ctgtct	72 ccat cctcttcact	20
<210> <211> <212> <213>	73 21 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	
<220> <221> <222> <223>	<pre>misc_feature (1)(1) 2'-O-modified phosphoramidite</pre>	
<400> ugccca	73 agot ggcatcogto a	21
<210><211><211><212><213>	74 20 DNA Artificial Sequence	
<220> <223>	Oligonucleotide	

```
<220>
<221>
       misc_feature
<222>
       (9) . . (9)
<223> nucleotide functionalized to incorporate a fluorescein funtionali
       ty
<400> 74
ctgtctccat cctcttcact
                                                                       20
<210>
       75
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<220>
<221>
       misc_feature
<222>
       (9)..(9)
       nucleotide functionalized to incorporate a fluorescein functional
<223>
       ity
<220>
<221>
       misc_feature
<222>
       (18) ... (18)
<223>
       nucleotide functionalized to incorporate a fluorescein functional
       ity
<400> 75
ctgtctccat cctcttcact
                                                                       20
<210>
       76
<211>
       20
<212>
       DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide
<220>
<221> misc_feature
<222>
      (9)...(9)
<223>
       nucleotide functionalized to incorporate a cholic acid functional
<400> 76
ctgtctccat cctcttcact
                                                                      20
<210>
       77
<211>
       2.0
<212> DNA
<213> Artificial Sequence
<220>
<223>
       Oligonucleotide
<220>
<221>
      misc_feature
<222>
      (9)..(9)
       nucleotide functionalized to incorporate a cholic acid functional
<223>
       ity
<220>
```

100susys legget

<222>	<pre>misc_feature (18)(18) nucleotide functionalized to incorporate a cholic acid functi ity</pre>	ona
<400> ctgtct	77 ccat cctcttcact	2
<210><211><211><212><213>	20	
<220> <223>	Oligonucleotide	
<222>	<pre>misc_feature (9)(9) nucleotide functionalized to incorporate a digoxigenin functi ity</pre>	onal
<400> ctgtctd	78 ccat cctcttcact	20